

MSR

PRODUCT



**PROMIXCO
HEALTHCARE
LIMITED**



PROMIXCO continues to demonstrate that the high quality MSR Product can be manufactured in Bangladesh and marketed at competitive prices. We are supplying MSR Product at lower prices to hospitals and diagnostic centers, enabling them to offer their range of services at reasonable cost to their patients.

PROMIXCO started the journey 23 years ago. We have expanded our range of activities in the medical sector over the years, the manufacture of MSR Product being the latest. This unique initiative made us the pioneer and prime mover in this virgin field. Import substitute products from PROMIXCO are contributing to our national savings. At the same time we are catering to the requirements of the domestic market. We have also started exporting our products, thereby contributing to our national income in foreign exchange.



Mousumi Islam
Chairperson

OUR TEAM



SAMANTA ISLAM
Managing Director



S M SHAMIM-UZ-ZAMAN
Director
Former Ambassador
Former Military Secretary to Hon'ble President



Ahmed Ali
Special Assistant to MD
Former Consultant
World Bank



MOHAMMAD ABDUL HANNAN ZOARDER
Financial Adviser
Former Executive Director
BSEC & BICM



Tipu Sultan
Chief Marketing Officer



Md Didarul Islam Dipu
Head of Administration



Khalilur Rahman Mazumdar
Head of Finance

Latex Surgical Gloves

Technical Specification

- Powdered/Non powdered
- Length: 290mm \pm 10mm;
- Thickness : Finger- 0.2- 0.25mm, Palm - 0.2-0.25mm, Cuff -0.2- 0.25mm;
- Material : Natural latex Rubber
- Color: Natural;
- Elongation: 800 \pm 50% both before and after ageing
- Stress at 500% elongation max 5.5 Mpa
- Sterilization: EO





Latex Examination Gloves

Technical Specification

- Powdered/Non powdered Latex Examination Gloves, ambi. type, micro rough surface in the grip area.
- Size: S, M, L
- Overall Length 245 +/- 5mm
- Natural rubber latex





Disposable Syringe

Technical Specification

- For Single Use .
- Syringe : Barrel & Plunger- Polypropylene (PP)/Polyethylene (PP)
- Needle : Stainless steel
- Sterilized by Ethylene Oxide (E.O.) gas or gama radiatio
- Medical grade blister paper and wrapping foil.
- Size : 1ml, 3ml, 5ml, 10ml, 20ml, 50ml
- Sterilization: EO

AD Syringe

Technical Specification

- Fixed dose Auto-Disable (AD) Syringe with fixed needle and protective cap, blister-packed.
- Syringe capacity for liquid intake 1.0 ml
- Graduated scale on the barrel easy to read.
- Graduation, three marking 0, 0.5, 1.0
- Fixed needle with protective cap
- Needle size: 22GX1 inc. (0.7 x 25 mm)
- Total syringe Length : 120 ± 3 mm
- Barrel Length : 71.00 ± 4 mm
- Barrel Outer Diameter : 11 ± 1.5 mm
- Barrel Inner Diameter : 10 ± 1 mm
- Plunger Length : 67.00 ± 1 mm
- Sterilization: EO



IV cannula

Technical Specification

- Non-Toxic
- Pyrogen Free
- Sterility guaranteed until package is opened or damaged
- Size: 14G to 28G
- Sterilization: EO





Fistula needle

Technical Specification


- Sterilized by ethylene-oxide
- Non-pyrogenic
- Super-thin-wall and siliconized needle
- 16 G - 1.6x300 mm
- Pair & Single
- Sterilization : EO



Butterfly needle

Technical Specification

- Latex free, small vein infusion set
- The thin, stainless steel cannula is siliconized for easy insertion.
- Size: 19 G to 25 G



Foley catheter (silicone)

Technical Specification

- In order to meet the various requirements of the customers, we are engaged in offering a wide assortment of Silicone Foley Catheter.
- Effective usage
- Precise dimensions
- Suitable during surgery
- Sterilization : EO



Infusion Set

Technical Specification

- Constitute Extra Strong & Sharp Spike With Clear, Transparent And Flexible Drip Chamber With Disc Filter Facilitates Visualization.
- Suitable For Administration Of Infusion Fluid For Medical Therapy.
- Efficient Roller Controller For Accurate And Unrestricted Flow.
- Super Smooth Kink Resistant Pvc Tubing With Standard Length Of 1500 mm For Easy Visualization Of Flow.
- Sterile/disposable/individual Packed.
- EO Sterile, Non- Toxic And Pyrogen Free. Options Available:
- Air Vented Or Non Vented Spike.
- With Or Without Needle.
- Needle Free Y- Site.
- Flow Regulator Integrated Into Infusion Set.
- Pvc/dehp Free Kink Resistant Set.
- Sterilization : EO



Foley Balloon catheter (Silicon Coated)

Technical Specification


- Material Type: Rubber, Latex
- Size: Medium, Large, Small, Intermediate, Extra-Large
- Shape: 2-Way Foley
- Used for short/long term urine drainage
- Made from natural latex rubber Siliconised smooth surface for atraumatic catheterization Polymer coating on inside surface – for greater inner diameter and high flow Minimizes encrustation and subsequent catheter blockage and failure Smooth eye, ultra thin highly elastic balloon and hard non-return valve for trouble free inflation and deflation
- Sterilization : EO



Urine Bag

Technical Specification

- Type: Pipe, Drainage Tubes & Containers
- Material: High Quality PVC
- As a special feature it has been equipped with hanger and carrying system
- Made of medical grade non-toxic, biocompatible PVC sheet
- Two layer laminated PVC sheet to avoid any leakage even after there is pin hole in sheet. The new double layer sheet
- Designed outlet connector to make closed connection with Foley
- Efficient non return valve with top outlet
- Approx 120 cm long large bore, king resistant, flexible tube for unrestricted flow
- Sterilization : EO



Suction catheter (cap-cone)

Technical Specification

- Frosted surface for easy insertion
- Appropriate degree of hardness provides kink resistance
- Atraumatic, soft rounded, bevelled open tip
- Two small relieving eyes reduce risk of tracheal damage
- Kapkon connector accepts 6,35 mm (1/4") connector
- Connector cap provides possibility of constant suction
- Colour coded
- Effective length: 50 cm
- Sterilization : EO



Nelaton catheter

Technical Specification


- Soft, frosted and kink resistant PVC tubing
- Proximal end is fitted with Universal Funnel shaped connector for safe connection to Urine bag
- Catheters are manufactured from non-toxic, non-irritant, soft PVC compatible with Catheter lubricants
- Available with the option of Radio opaque line throughout the length for X-ray visualization
- Atraumatic, soft, rounded, closed tip with two lateral eyes for efficient drainage
- Color coded plain connector for easy identification of size
- For short term bladder catheterization through urethra in males
- Sterile product for single use
- Also available with DEHP free Tube
- Length: 40 cms
- Sterilization : EO



Alcohol pad

Technical Specification

- 70% Isopropyl Alcohol
- Sterilization : EO



Nasal Oxygen Cannula

Technical Specification

- Application: Hospital
- Length: Up to 10 Metre
- Material: PVC
- Diameter: 5-8 mm
- Sterilization : EO



Feeding tube

Technical Specification

- Size: 5,6,7,8,10,12,14, 16 & 18)/All Size
- Sterilization : EO



Umbilical cord clamp

Technical Specification

- Application: Hospital, Clinic
- Disposable Or Reusable: No
- Packing: Individual Packing
- Color: Blue
- Quantity Per Pack: 1
- Pyrogen Free
- Latex Free
- Sterilization : EO



Suction set

Technical Specification

- Redon drain catheters are provided with radio opaque line and satin smooth eyes.
Connecting tube is kink resistant and is provided with additional strength to withstand the suction.
Easy to depress chamber to activate the suction of bellow unit by one person.
Available with different catheter sizes with matching size curved needle to meet moderate to heavy drainage needs.
Unit consists of
- Connecting tube with clamp and "Y" connector.
Curved needle with matching catheter.
Spare perforated catheter.
- 800 ml, 600 ml.



Nebulizer chamber


Technical Specification

- Consistent performance
- Provides effective nebulisation
- Easy to operate
- Sterilization EO

Nebulizer mask

Technical Specification

- Soft, clear aerosol mask with anatomical form is ideal for long term use
- Gently rolled, feathered edges with nose bridges for extra comfort.
- Swivel connector for convenience of nebulization in horizontal and vertical position ensuring patient comfort.
- Sterilization EO





ECG gel

Technical Specification

- Package Size: 250ml
- Gel Type: Cardiogram ConductiveGel
- Ingredients: Aqua (water), Carbomer, Paraben, Triethanolamine, Propylene glycol, Kcl
- Method of application: Exterior used in the checking skin areas of the ECG electrodes
- Characteristics: No toxic and irritant effect on the skin. Soluble in water and cleans easily, no oil and oily materi



Ultrasound gel

Technical Specification

- Aquasonic clean ultrasound transmission gel 250ml (Set of 2) acuasonic clean ultrasound transmission gel used for diagnostic & therapeutic medical ultrasound
- Fragrance & color free



Medical Safety Box

Technical Specification

- Made of anti-perforation, puncture proof and water resistant card
- Ensure safe disposal of sharp and used medical wastes without spillage
- Can be folded, portable & incinerable
- Material: Paper Board
- Capacity: 5 Liter





Nasopharyngeal Airway

Technical Specification

- Size: 24/26/28/30/32
- Sterilization : EO



Dialysis set

Technical Specification

- Dimensions (W x H x D): 322 x 1,378 x 375 mm
- Weight: Max. 85 Kg
- Pressure of supplied water: 0.1 to 0.3 Mpa
- Flow rate of supplied water: 800mL/min or greater
- Temperature of supplied water: 5 to 30
- Range of dialysate temperature regulation: 33 to 40
- Range of dialysate flow rate regulation: 300 to 700 mL/min
- Range of UF rate regulation: 0.00 to 5.00 L/h
- Sterilization : EO

Glucose strip

Specification



- Application: Clinical, Hospital
- Shelf Life: 24 Months
- Packaging Type: 50's*20



ECG Paper

Specification

- Size: 50 mmX100 mmX200 Sheet, FQS 50-3100



ECG cable

Specification

- Length of ECG Cable should be 03 Meter (min).
- Compatible for all type of Patient Monitor.
- Should be supplied Scissor type or button type as per require.

Gauze

Specification

- Length : 18 Yard
- Width : 36 Inch
- Weight : 400-450gm/Than
- Sterilization : EO

Absorbent Gauze

Specification

- Highly Absorbent
- Use for packing open wounds
- Seamless finish
- Sterilization : EO

Cotton

Specification

- Skin friendly
- Effective
- Durable
- Sterilization : EO

Sanitary Napkin

Specification

- Comfortable Perforated Soft Cotton Surface
- Side Guards-Soft Cotton Fabric
- Air laid ultra-soft paper
- Super absorbent polymer
- Back Adhesive for a better fit to the underwear
- Sterilization: EO

Non-absorbable suture

Specification

- Polyester, Nylon, Stainless steel
- Used for skin (removed) & some deep structures (tendons, Vessels, nerve repairs-not removed)



Microscope Glass slide

Technical Specification

- Size: 76.2x25.4 mm
- Thickness: 1mm-1.2mm (50 Pcs/Pkt)
- Sterilization: EO



3 way stopcock with male lock adapter

Technical Specification

- Properties: Medical Polymer Materials & Products
- Type: Pipe, Drainage Tubes & Containers
- Sterilization: EO



Medical tape

Technical Specification

- Highly absorbent.
- Free from open or loose threads.
- Skin friendliness.
- Safe to use.



Elastic crepe bandage

Technical Specification

- Precisely made
- Fine finish
- Retains elasticity even after several washes
- Skin friendly fabric



Medical bandage

Technical Specification

- Sterile and non-sterile
- Finely woven to maximize flexibility for close fittings
- Free from weaving defects and any foreign material
- Edges are evenly cut parallel to warp threads and are reasonably free from loose threads.

Medical Razor

Specification

- Reliable to use
- Used as surgery tool
- Very sensible
- To use as pre surgery tool to remove hairs before surgery orthopedic procedure
- Utilize before caesarean delivery by gynaecologists
- Before medical testes, & E.C.G. tests etc





HME Filter

Technical Specification

- Generally contains a layer of foam or paper embedded with a hygroscopic salt such as calcium chloride
- Bacterial and viral filters ideally have filtration efficiency of >99.9%
- HME with humidification efficiency >30mg.H₂O/L
- Connects to a standard 15mm connector on an endotracheal tube

Test Tube plain

Technical Specification

- Size: 4" or 6"



Blue Tips

Technical Specification

- Size: (1.0 ml) 500 Pcs/Pkt



Yellow Tips

Technical Specification

- Size: (1.0 ml) 500 Pcs/Pkt



Blood collection tube

Specification

- Material: Plastic
- Sterilized: Yes
- Volume: 2 ml
- Packaging Size: 100 Pcs
- Brand: Promixco
- Sterilization : EO



Colostomy bag

Specification

- Pouch Size: 12" (30 cm) (Length)
- Type: Disposable
- Per Pack: 5 Piece
- Usage/Application: Hospital



First aid bandage

Specification

- Medium Adhesive bandage: 72x19 mm
- Wound pad: 24x12mm
- Senior Adhesive bandage: 72x25 mm
- Wound pad: 24x17 mm
- Sterilization : EO



A Traumatic Catgut

Technical Specification

- Material: Absorbable Suture
- Color: Violet, Brown, Black
- Needle Length: From 6mm to 90mm
- Needle Type: Round Bodied or Cutting



Blood Bag

Technical Specification

- Properties: Medical Materials & Accessories
- Material: Medical grade PVC
- Volume: 250 350 450 500ml
- Needle: 16G
- Sterilization: EO



ETT paper

Specification

- Size: 214×280×300



Disposable Bed sheet

Specification

- Easy to Clean, Easy to Wash
- Long Shelf Life
- Size: 60*90
- Sterilization: EO



Personal Protective Equipment

Specification

- Type: Washable Clothing
- Size: S M L XL 2XL 3XL
- Style: Overalls
- Color: White
- Sterilization: EO

Disposable shoe cover

Specification

- Nonwoven Shoe covers to cater to different preferences. Provide an effective protection to any clean environment against dirt accumulated on the user's feet or footwear
- Sterilization: EO



Disposable Gown

Technical Specification

- Nonwoven fabric
- Size: 18", 19", 21", 22", 24" and 28" available.
- Color: Various as client's requirement
- Sterilization: EO



Surgical Face Mask

Technical Specification

- These Disposable Masks effectively protect patients from any type of infectious elements present in the mouth and nose of the staff
- Size: 175 mm x 95 mm
- Two Ply Face Mask with
- Loop & Lace
- Fabric : PP Spun bond Breathable Fabric
- Sterilization: EO



Disposable Head Cover


Technical Specification

- Disposable Head Covers are designed to cover your head and hair against fluids or contamination. It is soft, durable, and comfortable. The elastic headband allows for maximum coverage. Mushroom shape. Recommended for use in hospitals, patient care, cleanroom, laboratory, and food industry.
- Sterilization: EO

Pregnancy Card

Technical Specification

- Type : strip/cassette/midstream
- Specimen : urine
- Sensitivity : 20mIU/mL, 10mIU/mL
- Certificate : CE0197,ISO13485,FSC
- Brand : Core ,OEM
- Type: Visual Acuity Examination Apparatus
- Sterilization: EO



Typhoid Card

Specification

- A rapid test for the qualitative detection of IgG and IgM antibodies to Salmonella typhi (S. typhi) in human whole blood, serum or plasma. For professional in vitro diagnostic use only.
- Sterilization: EO

Malaria Card

Technical Specification

- Type: PV/PF Ag & PAN/PF Ag
- Format: Strip Cassette
- Specimen: Whole Blood
- Storage: 2-30°C
- Sensitivity: Sens > 99%
- Sterilization: EO





Dengue Card

Technical Specification

- Type: NS1 Ag, IgG/IgM & COMBO
- Engue NS 1 Ag qualitatively analyzes NS1 antigens specific to Dengu virus in serum, plasma and whole blood using immunochromatography. By detecting Dengue NS1 antigens, the initial infection status of Dengue virus can be discriminated, and the screening test result can be obtained within 15 minutes with its high sensitivity and specificity.
- Easy to use, Easy to read and interpret
- Sensitivity : 92.9% (184/198)
- Specificity : 98.7% (222/225)
- Applications: dengue fever
- Sample type: Serum, Plasma
- Tests Kit Dengue NS1 Ag+IgM/IgG
- Packaging Size 25 or 50 tests/box
- Measuring Time 15 - 20 minutes
- Sterilization: EO



HIV CARD

Technical Specification

- Type: HIV rapid test card
- Color : white
- Weight : 1 gm
- Specimen : Yes
- Instruction Leaflet : Yes
- Usage/application : Yes
- Sterilization: EO

HCV CARD

Technical Specification


- Format : A.strip B.cassette
- Specimen : whole blood / serum / plasma
- Size(mm): 2.5, 3.0, 4.0
- Accuracy : Over 99.5%
- Sample Lead time within 15 days, OEM within 25 days
- Loading Port Qingdao
- sensitivity : 4ncu/ml
- Sterilization: EO



HBsAg CARD

Technical Specification


- Specimen : Serum/Plasma/ Whole blood
- Accuracy : Over 99%
- Sensitivity : Over 99%
- Read time : 10 minutes
- Size: Strip: 2.5mm 3.0mm 4.0mm
- Cassette: 3.0mm 4.0mm
- Sterilization: EO



Syphilis Card

Technical Specification

- Material : Plastic
- Result Time : 15 to 20 Min
- Shelf Life : 24 Months
- Packaging Type : Box
- Sterilization: EO



Glucopro


Technical Specification

- Results in seconds
- Very small blood sample
- Strip designed for rapid absorption
- 150 test results with date & time
- Unique AC, PC, QC setting
- Sterilization: EO

Urine Strip 2'P


Technical Specification

- Type : Glucose + Protein
 - One Step Urine test strips for the determination of 10 values - glucose, bilirubin, ketone, specific gravity, blood, pH, protein, urobilinogen, nitrite, leukocytes.
- Fast and easy test results - Within 60 - 120 seconds
High-quality test quality - Significant color changes and homogeneous colour distribution on the test fields
Easy to use - All values can be read simultaneously
Accurate determination of your values using reference colour chart Detailed instructions
- Sterilization: EO



Nirvana Viroblock Mask

- Strong antiviral and antibacterial effect against enveloped viruses (including coronaviruses) and bacteria
- Anti Virul & Anti Bacterial Activity Rate >99.91%
- Size: Surgical Type-160x100mm, N95 Type-210x120mm
- Material: non-woven fabric 99% BFE melt spray filter cloth
- Layer: 3 layers
 - 1st layer: 100% Fabric Combed Cotton Single Jersey 160 GSM.
 - 2nd layer: melt-blown fabric to filter non-poly particles in air
 - 3rd layer: 100% Fabric Combed Cotton Single Jersey 160 GSM
- Wash: 30 times easily washable by water, soap or any detergent
- Packaging: opp bag
- Packing: 50 pcs/inner box, 2000 pcs/cotton
- Sterilization: EO



Nirvana Hand Sanitizer

Specification

- Bottle Size : 100ml, 250ml, 500ml

Ingredients Ratio

- Isopropyl Alcohol BP 75%
- Hydrogen Peroxide 0.125%
- Sterile Distilled Water 25%
- Glycerol 1.25%
- Essence 0.20%
- Formula By WHO





Apply appropriate amount of product on wet palms, and rub gently to create foam. Apply on hair with gentle massage. Rinse thoroughly with water until clear.

Nirvana Whitening Liquid Soap

Specification

- Moisturizing and softening your skin
- Revitalizing, Cool, Anti-Bacterial
- Fresh fragrance, good smell

Nirvana Hand Wash

Specification

- Bottle Size: 100ml, 250ml,



Nirvana Pearl Soap

Specification

- Moisturizes
- Protects
- Deodorizes

Rain Drop Drinking Water

Specification

- Product Type : Drinking Water
- Brand : Rain Drop
- Capacity : 1500ml
- Bottole Type : PET





PROMIXCO CONCERNS

 <p>PROMIXCO LIMITED</p>	 <p>BANGLADESH MULTIFLEX CO. LIMITED</p>	 <p>PROMIXCO HEALTHCARE LIMITED</p>	 <p>KIC</p>
 <p>PROMIXCO PHARMACEUTICALS LIMITED</p>	 <p>FH PLASTIC INDUSTRY LIMITED</p>	 <p>SAM Wears Limited</p>	
 <p>LD VETERINARY HOSPITAL & DAY CARE LIMITED A Leading Veterinary Hospital</p>	 <p>PROMIXCO USA CORP.</p>	 <p>NirHealth+ Hospital and Diagnostic Limited</p>	
 <p>PROMIXCO AGRO PRODUCTS LTD. Good Food. Good Life.</p>	 <p>PBRI Promixco Biomedical Research & Innovation</p>	 <p>Skyline BUILDERS</p>	 <p>ROMIX ELECTRONICS</p>

BRANDS

CSR

			
---	---	---	--

MEDIA





www.promixcogroup.com



Corporate Office

Shanta Forum, 187, 188/B Tejgaon Link Road
Dhaka 1215

Corporate Sales

34 Topkkhana Road, Paltan, Dhaka 1000

USA Office

97-77 Queens Blvd. 9th Floor, Rego Park NY 11374, USACorporate Office

Factory

103/1, Promixco Industrial Park Road, Mouchak
Kaliakair, Gazipur 1750, Bangladesh

Email: info@promixcoltd.com

Phone : +880 9644 22 33 44